

Chapter 16

Using Furbearers



Content Standard - *Students demonstrate an understanding of the full value of harvested furbearers*

Introduction

Responsible trappers make full use of furbearers they harvest. The value of a pelt for clothing is obvious. Furbearers are also used for human food, pet food, glands, skulls, and fertilizer.



Know the advantages, disadvantages, and procedures for five ways to sell furbearers or pelts

Fur harvesters have five choices for selling fur. There are advantages and disadvantages for each method. Options include:

- Local furbuyers
- Traveling furbuyers
- Selling by mail
- Fur auctions
- Tan hides and sell them yourself

Local furbuyers will know the most about furbearers in your area. They can be a valuable source of information and experience.

If you live close to a furbuyer you can sell whole animals as you catch them. This is known as selling furbearers “in the round.” This is an advantage if you don’t have a good place to process fur and store it. A local buyer can also give you specific tips on fur handling, or possibly show you the best techniques. Local buyers also buy “green” pelts. Green pelts are skinned but not fleshed, stretched, and dried.

If you are fortunate enough to live near several furbuyers, you can shop



Silvertip Productions

Beaver caught in a body-gripping trap

Taxidermists often look for high quality specimens to mount

Check regulations

Animals with unusual pelts, such as albinos, may bring top dollar from taxidermists, but little from a furbuyer.

Safety - Animal Welfare - Responsibility - Furbearer Conservation



around for the best price. This is generally best if you have a large number of furs. A disadvantage of selling to a local buyer is price. A local buyer is a “middle man” who must buy low and sell high to make a living.

Traveling furbuyers work for larger companies. You may be able to meet them at a local sporting goods store on scheduled dates, or make an appointment for them to visit you. Traveling buyers make it convenient for you to sell fur, but the price you receive may be lower than the price you could get selling by mail or at auction.

Some trappers sell their fur by mail. Mail buyers advertise in trapping magazines. Selling by mail saves you the time and cost of driving a long distance. Mail buyers will usually make payment in a few days. Mail buyers do not charge a commission, and some will pay the shipping costs. Some will also give you 10 days or so to decide if you like the offering price. If not, they will return your furs.

Price lists for mail buyers can be deceiving. Prices can change, or a buyer may give you a good offer for some of your furs and downgrade the rest. When selling by mail you lose the advantage of having competitive bidding for your fur.

Fur auctions are another option. Your fur may bring a higher price at an auction if there are a large number of buyers. Commissions paid to buyers or auction houses will reduce the money you receive. Fur prices can change during the season. Top offers at an auction may be less than the offer you could have had from a local buyer if the price drops while you wait for the auction.

Another option is to have the hides tanned and sell them yourself. You may be able to obtain a higher price for them. Disadvantages to this method are that you have to pay for the tanning and you have to locate buyers. This may take more time than some of the other options.

Each trapper must decide when and how to sell fur based on current prices, price forecasts, convenience, and cost. Other trappers, magazines, and trapping associations can provide helpful information. The more you know about grading fur and market conditions, the better the chance you will earn a good price for your work.



Know that furbuyers will grade animals or pelts by primeness, size, color, texture, fur density, damage, and other characteristics

Furbuyers grade pelts by a number of factors before offering you a price. Pelt



Silvertip Productions

Fox pelt on stretcher



FWS Photo

Fox furs

Using Furbearers



Silvertip Productions

Trapper bagging fresh muskrat
for freezer



Beaver castor glands

size, primeness, fur density, color, texture, and damage affect the grade.

Larger sized animals of one species generally bring a better price than smaller ones. Pelt primeness is a major grading factor. Trapping seasons are set to harvest furbearers when they are prime, during winter. Summer pelts are thin, flat, and have little to no value. Prime pelts have dense underfur and fully developed guard hairs. The skin, or leather, side of an unprimed pelt is dark blue or black because the hair follicles are not fully developed. Later in the season furs may not be worth as much because of fading color, hair loss, rubbing, or curling. Furs can also be damaged by careless handling.

The best pelts are graded as “Ones” (I) or “Ones part Twos” (I pt. II). Seconds are lower quality due to slight damage, color, or other factors. Thirds (III’s) are badly rubbed. Unprimed and fourths (IV’s) are of very little, if any, value.



Know that meat from some furbearers can be used for human consumption

Many people enjoy eating meat from healthy beaver, muskrats, raccoons, opossums, and bobcats. Freshly caught, skinned, and dressed animals will taste the best. The front and hind quarters and back meat are most commonly eaten, while the rib-cage area is usually discarded. Avoid meat from any animals that appear sick. Keep the carcasses clean and thoroughly cook any wild game you intend to eat. Please be aware that carnivores may harbor parasites and extra care must be taken when dressing the animal and preparing the meat. Make sure that the meat is cooked to the proper temperature and that the juices run clear. The recommended minimum internal cooking temperature for fubearer meat is 165°F.



Know that glands from some furbearers can be made into lure or sold for commercial use as perfume

Castor glands and oil sacs are found below the skin in the anal area of both male and female beaver. Castor glands and oil sacs are valuable and can be removed. Trappers can sell the glands for use in perfume or trapping lure.

Mink, weasel, skunk, otter, and fisher have anal glands that contain a strong musk useful in making trapping lure. The glands should be cut loose with minimal squeezing and kept cool or frozen. Weasel glands are particularly good for attracting mink, otter, weasel, fox, and coyotes.



Fox and coyote anal glands and foot pads are used in lure making for those species. Glands of raccoons, opossums, badgers, and muskrats are sometimes used, too.



Know that furbearer skulls are sometimes needed for science classes or nature interpretation

Furbearer skulls are often needed for science classes or nature centers. Dermestid beetles are useful for cleaning skulls or other bones you want to save. Skulls or other bones may also be cleaned by hot water (boiling) or cold water maceration. Details on skull and bone cleaning may be found at various online sites. You may also visit www.michigan.gov/dnr under the Trapping and Furharvester pages for more details.



Describe why it is important to properly dispose of any animal parts that remain after processing

Responsible trappers use as much of each animal trapped as possible. Any remaining parts should be taken to a rendering plant, used for fertilizer, incinerated, or buried (>3 feet deep). You may be able to dispose of carcasses in a registered landfill via commercial garbage pick up (check with your local garbage service). It is important to dispose of carcasses where they can't be scavenged by other animals or act as a source of infection for their own species. Improper disposal could lead to human or animal health problems. Other people could be offended by seeing animal carcasses and parts. This gives all trappers and the sport of trapping a bad image. Public image and acceptance is important to the future of trapping in this state. Disposal methods may be regulated in some areas.



Silvertip Productions

Beaver skull